

## CURRICULUM VITAE

**Name:** Ferruccio Ceriotti

**Address:** Via De Gasperi 5, Pioltello, (MI)

**Place and date of birth:** Busto Arsizio (VA), April 1<sup>st</sup>, 1956

**Citizenship:** Italian

**Marital Status:** married, 3 children

**Education:** in 1981 he graduated in Medicine and Surgery with full marks (110/110 cum laude) at Padua University. In 1984 he specialised in Laboratory Medicine at Padua University (70/70 cum laude).

**Major Research Interests:** Standardisation in clinical chemistry, particularly lipids and enzymes. Evaluation and development of new clinical chemistry tests; differential pH measurement. Quality control, quality assurance and total quality management.

Head of the Research Unit "Standardization and innovative technologies in Clinical Chemistry" .

Since 1999 he is the Scientific responsible for the External Quality Assessment Scheme "PROLARIT". This programme includes clinical chemistry, haematology, coagulation and endocrinology whit about 500 participating laboratories throughout Italy.

From 1984 to 1991 he was member of the Enzyme Committee of BCR (Community Bureau of Reference, now Measurement and Testing).

Since 1983 he is member of the Commission 04 "Enzymes" of SIBioC (Italian Society of Clinical Biochemistry and Clinical Molecular Biology); during the period 1993 - 1995 Co-ordinator of the Commission itself.

1998 - 2004 member of IFCC (International Federation of Clinical Chemistry and Laboratory Medicine) Working Group on Calibration in Clinical Enzymology that in 2001 became a Committee: Reference Systems for Enzymes (C-RSE); from January 2010 he is the chair of the Committee.

From 2005 to 2009 Chairman of the IFCC Committee "Reference Intervals and Decision Limits" (C-RIDL).

Since 1994 he is member of the Board of Directors of the CRMLN (Cholesterol Reference Method Laboratory Network) co-ordinated by CDC (Centers for Disease Control and Prevention) of Atlanta (USA).

From 1997 to 1999 Italian representative in the EC4 (European Community Confederation of Clinical Chemistry) Committee "Harmonization of Quality Systems".

1999 – 2004 he was the Chairman of the International Relations Division of SIBioC and IFCC National Representative. 2005 - 2008 he was the Chairman of the Scientific Division of SIBioC. Since 2009 to 2011 he is again Chairman of the International Relations Division of SIBioC and IFCC and EFCC National Representative.

From January 2012 he is elected SIBioC Vice President.

**Principal Clinical and Hospital Service Responsibilities:** since September 1981 he is working at the Clinical Laboratory of San Raphael Hospital; Milan. In September 1987 he obtained the title of Vice Director and he was responsible for Clinical Chemistry department up to 1998. He has been responsible for the computerized organization until September 1995. From September 1996 he has the role of Quality Manager for ISO 9000 Certification of the Clinical Laboratory (certification obtained in July 1998, upgraded to ISO 9001:2000 in July 2002 and to ISO

9001:2008 in October 2008). From November 2002 he has the title of Director for the area of Quality management. From May 1<sup>st</sup> 2008 he has also the responsibility of Vice Direction of the entire Laboratory.

**Teaching appointments:** He taught microbiology at San Raffaele Nurse School from 1982 to 1985. From 1986/87 to 1988/89 he had an 8 hours course entitled "Special Aspects of biochemistry of the nervous system" in the School for Neurophysiopathology technicians (Milan University). From 1987/88 to 1991/92 he gave an 8 hours course entitled "Quality Control in clinical chemistry" in the School for Technician of Medical - Biological Laboratories (Milan University).. 1991-99 tutor, Laboratory Medicine, fifth year Medicine and Surgery University of Milan. 1998 - 2000 tutor, course Clinical Biochemistry; 2000 - today tutor, Laboratory Medicine, Vita - Salute San Raffaele University; Since 2003: Contract Professor, Course of Clinical Biochemistry and Clinical Molecular Biology, Vita - Salute San Raffaele University, Faculty of Medical and Pharmaceutical Biotechnology, 3<sup>rd</sup> year. Since 2005 Contract Professor, Course of Biochemical Methodologies and Automation, Vita - Salute San Raffaele University, Faculty of Medical Molecular and Cellular Biotechnologies, 1<sup>th</sup> year. Since 2011 Contract Professor, Course of Laboratory medicine, 3<sup>rd</sup> year Medicine and Surgery, Vita-Salute University, Milano.

He has been in the editorial board of the "Giornale Italiano di Chimica Clinica". He is associated editor of "Biochimica Clinica" official Journal of SIBioC.

He acts as referee for the following Journals: Clinical Chemistry, Clinical Chemistry and Laboratory Medicine, Clinica Chimica Acta, Acta Diabetologica, Clinical Biochemistry.

He participated as speaker in several National and International Congresses and Courses.

He published 147 papers in peer reviewed Journals. 91 in International Journals with Impact Factor and 56 in National or International Journals without IF.

H Index (Scopus) = 19

He presented more than 160 abstracts of posters or oral communications at National and International Congresses. He collaborated in the definition of the SIBioC guidelines both on Internal QC and on External Quality Assessment.

Milan July 1<sup>st</sup> 2013

Signature: \_\_\_\_\_

## References

1. Ceriotti F, Ceriotti G. Improved direct specific determination of serum iron and total iron binding capacity. *Clin Chem* 1980;26:327-31. IF=3.169
2. Ceriotti F, Bonvicini P. Direct flow automated serum-iron determination. *J Autom Chem* 1982;4:17-20 IF=0.560
3. De Palo E, Ceriotti F, De Palo C, Federspil G, Scandellari C. Pituitary protein lipolytic factor(s): partial purification by isoelectric focusing (IEF). *J Protein Chem* 1983;2:455-468 IF=1.027
4. Ripamonti M, Mosca A, Rovida E, Luzzana M, Luzi L, Ceriotti F, Cottini F, Rossi-Bernardi L. Urea, creatinine and glucose determined in plasma and whole blood by a differential pH technique. *Clin Chem* 1984;30:556-9 IF=3.169
5. Ceriotti F, Bonini PA, Murone M, Barengi L, Luzzana M, Mosca A, Ripamonti M, Rossi-Bernardi L. Measurement of lipase activity by a differential pH technique. *Clin Chem* 1985;31:257-60. IF=3.169
6. Haeckel R, Bonini PA, Ceriotti F, Kutter D, Vonderschmitt DJ. Multi-centre evaluation of the urine test strip analyser Rapimat. *J Clin Chem Clin Biochem* 1985;23:473-92. IF=0.848
7. Crescenti A, Stella L, Bordoli W, Ceriotti F, Cornaggia G, Zangrillo A. Modificazioni dei livelli urinari dell'alfa-glucosidasi e dell'N-acetil-beta-glucosaminidasi: confronto tra anestesia con enflurano ed anestesia con trazodone e fentanil. *Anest Rianim* 1985;26:235-40. IF=0.05
8. Ceriotti F, Barengi L, Pontillo M, Murone M, Bonini PA. Optimization of the urinary acid alfa-glucosidase determination. *J Clin Chem Clin Biochem* 1985;23:845-50. IF=0.848
9. Bonini PA, Callioni E, Ceriotti F, Murone M, Aguzzi F, Milanesi A, Ferrario E. Multicentre evaluation of the IL Densiscan. *J Autom Chem* 1986;8:18-22. IF=0.560
10. Barengi L, Ceriotti F, Luzzana M, Ripamonti M, Mosca A, Bonini PA. Measurement of erythrocyte acetylcholinesterase and plasma cholinesterase activity by a differential pH technique. *Ann Clin Biochem* 1986; 23:538-45. IF=0.990
11. Barengi L, Ceriotti F, Ripamonti M, Luzzana M, Bonini PA. Erythrocytic glucose-6-phosphate dehydrogenase measured by a differential pH technique. *Clin Chem* 1987;33:579-82. IF=3.169
12. Malandrino S, Angelini M, Baldini L, Barengi L, Borsa M, Carrabba M, Ceriotti F, Tonon GC. Effects of suprofen on renal function in patients with rheumatoid arthritis. *Int J Clin Pharmacol Res* 1987;7:259-63.
13. Mosca A, Carenini A, Zoppi F, Carpinelli A, Banfi G, Ceriotti F, Bonini PA, Pozza G. Plasma protein glycation as measured by fructosamine assay. *Clin Chem* 1987;33:1141-6. IF=3.169
14. Ceriotti F, De Luca U, Franzini C, Prencipe L, Rizza V. Serum amylase activity determination: commutability of control materials in a new method. *Ann Clin Biochem* 1988; 25:424-425. IF=0.990
15. Sanguini LC, Ceriotti F, Franzini C, Grossi L, Bonini PA. Determination of serum cholesterol on the Reflotron (BBR) dry chemistry analyser. *Ann Biol Clin* 1988;46:319-21.
16. Bonini P.A, Sanguini L.C, Grossi L, Ceriotti F, Murone M. Automation in urinalysis: evaluation of three urine test strip analysers. *J Autom Chem* 1988; 10:121-129. IF=0.560
17. Bonini P.A, Ceriotti F, Franzini C. Selectivity and random-access in automatic analysers. *J Autom Chem* 1988; 10:167-170. IF=0.560
18. Price CP, Koller P.U, Bonini P, Ceriotti F, Buttner J, Sonntag O, Colombo J.P, Peheim E, Gabl F, Hellsing L.K, Kattermann R. A multicentre study of the new Reflotron System for the measurement of urea, glucose, triacylglycerols, cholesterol,  $\gamma$ -glutamyltransferase and haemoglobin. *J Clin Chem Clin Biochem* 1988; 26:233-250 IF=0.848
19. Campanini S, Arosio P, Levi S, Ceriotti F, Murone M, Marconi C. Analysis of the iron status of professional cyclists during a 3-week road race. *Hematologica* 1988;

- 73:111-114. IF=0.80
20. Ceriotti F, Guagnellini E, Zoppi F, Montalbetti N, Okely C, Bonini PA. Multicentre evaluation of the Monarch (IL) clinical chemistry analyser. *J Autom Chem* 1989; 11:206-211. IF=0.560
  21. Romer M, Haeckel R, Bonini P, Ceriotti F, Vassault A, Solere P, Morer P. European multicentre evaluation of ESAT 6660. *J Clin Chem Clin Biochem* 1990;28:435-443 IF=0.848
  22. Braggion F, Ceriotti F, Chiumello G. Pediatric emergency laboratory. *Z Med Lab* 1991;32:159-62
  23. Franzini C, Cattozzo G, Ceriotti F, Ferrero CA, Berti P, Bianchi P, Bonvicini P, Ceriotti G, Deledda R, Fenili D. Measurement of alkaline phosphatase activity in serum with N-Methyl-D-Glucamine buffer: evaluation of the method for routine use. *Eur J Clin Chem Clin Biochem* 1991;29:759-65. IF=0.848
  24. Panteghini M, Pagani F, Bonora R, Alebardi O, Ceriotti F. Diagnostic value of four assays for lipase determination in serum: a comparative reevaluation. *Clin Biochem* 1991;24:497-503 IF=1.417
  25. Bonini PA, Ceriotti F, Keller F, Brauer P, Stolz H, Pascual C, Garcia Beltran L., Vonderschmitt D.J. Pei P., Bablok W., Domke I., Stockmann W. Multicentre evaluation of the Boehringer Mannheim/Hitachi 747 analysis system. *Eur J Clin Chem Clin Biochem* 1992;30:881-899. IF=0.848
  26. Schiele F, Muller J, Colinet E, Siest G, Arzoglou P, Brettschneider H, Calam DH, Ceriotti F, Ferard G, Frei J, Hadjivassiliou A, Hafkenscheid JCM, Horder M, Gella FJ, Rej R, Schmidt E, Vassault A, Viette V. Interlaboratory study of the IFCC method for alanine aminotransferase performed with use of a partly purified reference material. *Clin Chem* 1992;38:2365-71. IF=3.169
  27. Arzoglou P, Goudoula C, Tsantili P, Lessinger M, Férard G, Mignot V, Samyn N, Demeester J, Lauwers A, Brettschneider H, Ceriotti F, Avranas A, Profilis C, Colinet E. Transferability of lipase titrimetric assays: deductions from an interlaboratory study. *Eur J Clin Chem Clin Biochem* 1994;32:773-777. IF=0.848
  28. Ferrero CA, Carobene A, Ceriotti F, Modenese A, Arcelloni C. Behavior of frozen serum pools and lyophilized sera in an external quality assessment scheme. *Clin Chem* 1995;41:575-80. IF=3.169
  29. Modenese A, Carobene A, Ferrero C, Ceriotti F, Franzini C, De Giorgi E, Franzin M, Giorgio A, Baldo L. Reference method for serum total cholesterol measurement: does substituting enzymatic step for Liebermann - Burchard reaction improve specificity? *Clin Chem* 1996;42:475-7. IF=3.169
  30. Gubern G, Canalis F, Gella FJ, Colinet E, Profilis C, Calam D, Ceriotti F, Dufaux J, Hadjivassiliou AG, Lessinger JM, Lorentz K, Vassault A. Production and certification of an enzyme reference material for pancreatic  $\alpha$ -amylase. *Clin Chim Acta* 1996;251:145-62. IF=1.010
  31. Graziani MS, Ceriotti F, Carobene A, Modenese A, Ferrero C, De Giorgi E, Franzin M, Marchetti C, Brambilla P, Bertona M, Giannone D, Righetti G, Marocchi A, Prencipe L, Franzini C, Luraschi P, Mocarelli P, and SIBioC GISSI Prevenzione Group. Accuracy of cholesterol measurement in Italian clinical laboratories. Joint project GISSI Prevention - Italian Society of Clinical Biochemistry. *Eur J Clin Chem Clin Biochem* 1997;35:311-5. IF=0.848
  32. Carobene A, Ferrero C, Ceriotti F, Modenese A, Besozzi M, De Giorgi E, Franzin M, Franzini C, Galli Kienle M, Magni F. Creatinine measurement proficiency testing: assignment of matrix-adjusted ID GC-MS target values. *Clin Chem* 1997;43:1342-7. IF=3.169
  33. McNamara JR, Leary ET, Ceriotti F, Boersma-Cobbaert CM, Cole TG, Hassemer DJ, Nakamura M, Packard CJ, Seccombe DW, Kimberly MM, Myers GL, Cooper GR. Status of lipid and lipoprotein standardization. *Clin Chem* 1997;43:1306-14 IF=3.169
  34. Mosca A, Paleari R, Madè A, Ferrero C, Locatelli M, Ceriotti F. Commutability of controls materials in glycohemoglobin determinations. *Clin Chem* 1998;44:632-8. IF=3.169
  35. Cobbaert C, Zwang L, Ceriotti F, Modenese A, Cremer P, Herrmann W, Hoss G, Jaraus J, Türk R, März W, Nauck M. Reference standardization and triglyceride

- interference of a new homogeneous HDL-cholesterol assay compared with a former chemical precipitation assay. *Clin Chem* 1998;44: 779-789. IF=3.169
36. Ferrero C, Modenese A, Bonini PA, Ceriotti F, Carobene A, Franzin M, Guder WG, Hofmann W, Puukka M, Laitinen H, Makarovsky V, Gaidukova N in collaboration with Hannu Lampinen. Multicentre Evaluation of KONE Optima Analysis System. *Clin Chem Lab Med* 1998; 36(7):475-484. IF=0.854
  37. Franzini C, Ceriotti F. Impact of reference materials on accuracy in clinical chemistry. *Clin Bioch* 1998;31:449-457. IF=1.135
  38. Gella FJ, Frey E, Ceriotti F, Galan A, Hadjivassiliou AG, Horder M, Lorentz K, Moss DW, Schiele F, Canalias F. Production and certification of an enzyme reference material for creatine kinase isoenzyme 2 (CRM 608). *Clin Chim Acta* 1998;276:35-52. IF=1.067
  39. Galimany R, Arambarri M, Biosca C, Ceriotti F, Chapelle JP, Lopez R, Souverijn JHM, Spagnuolo G, Scopacasa F, Almirall L. European multicentre evaluation of the Super Aution SA-4220 Urinalysis Analyser. *Clin Chem Lab Med* 1998;36:947-958 IF=0.854
  40. Guder WG, Ceriotti F, Bonini PA. Urinalysis challenges by new medical needs and advanced technologies. [editorial; comment]. *Clin Chem Lab Med* 1998;36:907. IF=0.854
  41. Kimberly M, Leary E, Cole T, Waymack P for the **Cholesterol Reference Method Laboratory Network**. Selection, validation, standardization, and performance of a Designated Comparison Method for HDL-cholesterol for use in the Cholesterol Reference Method Laboratory Network. *Clin Chem* 1999;45:1803-1812. IF=3.423
  42. GISSI Prevenzione investigators. Valagussa F; Franzosi MG; Geraci E; Mininni N; Nicolosi, GL; Santini M; Tavazzi L; Vecchio C; Marchioli R; Bomba E; Chieffo C; Maggioni AP; Schweiger C; Tognoni G; Barzi F; Flamminio AV; Marfisi RM; Olivieri M; Pera C; Polidoro A; Santoro E; Zama R; Pagliaro L; Correale E; Del Favero A; Loi U; Marubini E; Campolo L; Casari A; Di Minno G; Donati MB; Galli M; Gattone M; Garattini S; Mancini M; Marino P; Santoro GM; Scardulla C; Specchia G; Cericola A; Di Gregorio D; Di Mascio R; Levantesi G; Mantini L; Mastrogiuseppe G; Tucci C; Mocalelli P; Baldinelli R; Ceriotti F; Colonna A; Cortese C; Fortunato G; Franzini C; Gonano F; Graziani MS Dietary supplementation with n-3 polyunsaturated fatty acids and vitamin E after myocardial infarction: results of the GISSI-Prevenzione trial. *The Lancet* 345 No. 9177;447-455, 7 August 1999 IF=11.79
  43. Van Suijlen JDE, Blijenberg BG, Hofmann J, Bauer K, Zaman Z, Blanckaert N, Degenhard P, Wielckens K, Ferrè C, Torralba A, Martyn M, Kelly A, Ceriotti F, Bonini PA, Bablok W, McGovern M, Stockmann W. Multicentre evaluation of the Boehringer Mannheim/Hitachi 917analysis system. *J Autom Met & Management in Chem* 2000;22:65-81 IF=0.00
  44. Panteghini M, Ceriotti F, Schumann G, Siekmann L. Establishing a reference system in clinical enzymology. *Clin Chem Lab Med* 2001;39:795-800. IF=1.744
  45. Sanchez M, Gella FJ, Profilis C, Ceriotti F, Cusò E, Fuentes-Arderiu X, Hallermayer K, Horder M, Panteghini M, Schumann G, Canalias F. Certification of the mass concentration of creatine kinase isoenzyme 2 (CK-MB) in the reference material BCR 608. *Clin Chem Lab Med* 2001;39:858-65. IF=1.744
  46. Panteghini M, Ceriotti F, Pagani F, Secchiero S, Zaninotto M, Franzini C. Recommendations for the routine use of pancreatic amylase measurement instead of total amylase for the diagnosis and monitoring of pancreatic pathology. *Clin Chem Lab Med* 2002;40:97-100. IF=1.595
  47. Ceriotti F, Del Buono L, Bonini PA, Germagnoli L, Ferrero CA, Pezzo M, Marocchi A. A Two-Center Evaluation of the Blood Gas Immediate Response Mobile Analyzer (IRMA) *Clin Chem Lab Med* 2002;40:182-91. IF=1.595
  48. Dominici R, Cabrini E, Cattozzo G, Ceriotti F, Grazioli V, Scappellato L, Franzini C. Intermethod variation of serum carcinoembryonic antigen (CEA) measurement. Fresh serum pools and control materials compared. *Clin Chem Lab Med* 2002;40:167-73. IF=1.595
  49. Bonini PA, Plebani M, Ceriotti F, Rubboli F. Errors in Laboratory Medicine. [Minireview] *Clin Chem* 2002;48:691-8. IF=4.371

50. Siekmann L, Bonora R, Burtis CA, Ceriotti F, Clerc-Renaud P, Ferard G, et al. IFCC primary reference procedures for the measurement of catalytic activity concentrations of enzymes at 37 degrees C. Part 1. The concept of reference procedures for the measurement of catalytic activity concentrations of enzymes. Clin Chem Lab Med 2002;40:631-4. IF=1.595
51. Schumann G, Bonora R, Ceriotti F, Clerc-Renaud P, Ferrero CA, Ferard G, et al. IFCC primary reference procedures for the measurement of catalytic activity concentrations of enzymes at 37 degrees C. Part 2. Reference procedure for the measurement of catalytic concentration of creatine kinase. Clin Chem Lab Med. 2002;40:635-42. IF=1.595
52. Schumann G, Bonora R, Ceriotti F, Clerc-Renaud P, Ferrero CA, Ferard G, et al. IFCC primary reference procedures for the measurement of catalytic activity concentrations of enzymes at 37 degrees C. Part 3. Reference procedure for the measurement of catalytic concentration of lactate dehydrogenase. Clin Chem Lab Med. 2002;40:643-8. IF=1.595
53. Schumann G, Bonora R, Ceriotti F, Ferard G, Ferrero CA, Franck PF, et al. IFCC primary reference procedures for the measurement of catalytic activity concentrations of enzymes at 37 degrees C. International Federation of Clinical Chemistry and Laboratory Medicine. Part 4. Reference procedure for the measurement of catalytic concentration of alanine aminotransferase. Clin Chem Lab Med. 2002;40:718-24. IF=1.595
54. Schumann G, Bonora R, Ceriotti F, Ferard G, Ferrero CA, Franck PF, et al. IFCC primary reference procedures for the measurement of catalytic activity concentrations of enzymes at 37 degrees C. International Federation of Clinical Chemistry and Laboratory Medicine. Part 5. Reference procedure for the measurement of catalytic concentration of aspartate aminotransferase. Clin Chem Lab Med. 2002;40:725-33. IF=1.595
55. Schumann G, Bonora R, Ceriotti F, Ferard G, Ferrero CA, Franck PF, et al. IFCC primary reference procedures for the measurement of catalytic activity concentrations of enzymes at 37 degrees C. International Federation of Clinical Chemistry and Laboratory Medicine. Part 6. Reference procedure for the measurement of catalytic concentration of gamma-glutamyltransferase. Clin Chem Lab Med. 2002;40:734-8. IF=1.595
56. Siekmann L, Bonora R, Burtis CA, Ceriotti F, Clerc-Renaud P, Ferard G, et al. IFCC primary reference procedures for the measurement of catalytic activity concentrations of enzymes at 37 degrees C. International Federation of Clinical Chemistry and Laboratory Medicine. Part 7. Certification of four reference materials for the determination of enzymatic activity of gamma-glutamyltransferase, lactate dehydrogenase, alanine aminotransferase and creatine kinase according to IFCC reference procedures at 37°C. Clin Chem Lab Med. 2002;40:739-45. IF=1.595
57. Mosca A, Bonora R, Ceriotti F, Franzini C, Lando G, Patrosso MC, Zaninotto M, Panteghini M; Italian Society of Clinical Biochemistry and Clinical Molecular Biology Working Group on Enzymes. Assay using succinylthiocholine as substrate: the method of choice for the measurement of cholinesterase catalytic activity in serum to diagnose succinylthiocholine sensitivity. Clin Chem Lab Med. 2003;41:317-22. IF=1.595
58. Mosca A, Paleari R, Ceriotti F, Lapolla A, Fedele D; Lercanidipine Study Group. Biological variability of albumin excretion rate and albumin-to-creatinine ratio in hypertensive type 2 diabetic patients. Clin Chem Lab Med. 2003;41:1229-33. IF=1.595
59. Paroni R, Fermo I, Cighetti G, Ferrero CA, Carobene A, Ceriotti F. Creatinine determination in serum by capillary electrophoresis. Electrophoresis. 2004;25:463-8. IF=4.325
60. Paleari R, Ceriotti F, Azzario F, Maccioni L, Galanello R, Mosca A. Experiences in the measurement of RBC-bound IgG as markers of cell age. Bioelectrochemistry 2004;62:175-9. IF=1.463
61. Mosca A, Ceriotti F, Franzini C, Panteghini M; Italian Society of Clinical

- Biochemistry and Clinical Molecular Biology Working Group on Enzymes. National survey on the use of measurement of cholinesterase activity in serum. *Clin Chem Lab Med*. 2005;43:256-7. IF=1.595
62. Plebani M, Ceriotti F, Messeri G, Ottomano C, Pansini N, Bonini P. Laboratory network of excellence: enhancing patient safety and service effectiveness. *Clin Chem Lab Med* 2006;44:150-60. IF=1.685
63. Mosca A, Paleari R, Dalfrà MG, Di Cianni G, Cuccuru I, Pellegrini G, Malloggi L, Bonomo M, Granata S, Ceriotti F, Castiglioni MT, Songini M, Tocco G, Masin M, Plebani M, Lapolla A.. Reference Intervals for Hemoglobin A1c in Pregnant Women: Data from an Italian Multicenter Study. *Clin Chem* 2006;52:1138-43. IF=7.717
64. Schumann G, Aoki R, Ferrero CA, Ehlers G, Ferard G, Gella FJ, Jorgensen PJ, Kanno T, Kessner A, Klauke R, Kytzia HJ, Lessinger JM, Miller WG, Nagel R, Pauwels J, Schimmel H, Siekmann L, Weidemann G, Yoshida K, Ceriotti F. IFCC primary reference procedures for the measurement of catalytic activity concentrations of enzymes at 37 degrees C: International Federation of Clinical Chemistry and Laboratory Medicine (IFCC): Scientific Division, Committee on Reference Systems for Enzymes (C-RSE): Part 8. Reference procedure for the measurement of catalytic concentration of alpha-amylase: [alpha-Amylase: 1,4-alpha-D-glucan 4-glucanohydrolase (AMY), EC 3.2.1.1]. *Clin Chem Lab Med* 2006;44:1146-55. IF=1.685
65. Ceriotti F, Schumann G, Panteghini M. Redefining reference limits needs more attention to the analytical aspects. [Letter] *Liver Int*. 2006;26:1155-6. IF=1.766
66. Signori C, Ceriotti F, Sanna A, Plebani M, Messeri G, Ottomano C, Di Serio F, Bonini PA. Process and risk analysis to reduce errors in clinical laboratories. *Clin Chem Lab Med* 2007;45:742-8. IF=1.685
67. Lippi G, Banfi G, Buttarello M, Ceriotti F, Daves M, Dolci A, Caputo M, Giavarina D, Montagnana M, Miconi V, Milanese B, Mosca A, Morandini M, Salvagno GL. Recommendations for detection and management of unsuitable samples in clinical laboratories. *Clin Chem Lab Med*. 2007;45:728-36. IF=1.685
68. Paroni R, Ceriotti F, Galanello R, Leoni GB, Panico A, Scurati E, Paleari R, Chemello L, Quaino V, Scaldaferrì L, Lapolla A, Mosca A. Performance characteristics and clinical utility of an enzymatic method for the measurement of glycated albumin in plasma. *Clinical Biochemistry* 2007;40:1398-1405. IF = 2.331
69. Ceriotti F. Prerequisites for use of common reference intervals. *Clin Biochem Rev*. 2007;28:115-21.
70. Bonini P, Ceriotti F, Mirandola G, Signori C. Misidentification and other preanalytical errors. *Journal of Medical Biochemistry* 2008;27:339-42.
71. Ceriotti F, Boyd JC, Klein G, Henny J, Queraltó J, Kairisto V, Panteghini M on behalf of the IFCC Committee on Reference Intervals and Decision Limits (C-RIDL). Reference Intervals for Serum Creatinine Concentrations: Assessment of Available Data for Global Application. *Clin Chem* 2008;54:559-66. IF= 5.454
72. Cattozzo G, Guerra E, Ceriotti F, Franzini C; on the behalf of the Enzyme Working Group of the Italian Society of Clinical Biochemistry and Clinical Molecular Biology (SIBioC). Commutable Calibrator with Value Assigned by the IFCC Reference Procedure to Harmonize Serum Lactate Dehydrogenase Activity Results Measured by 2 Different Methods. *Clin Chem* 2008;54:1349-55. IF= 5.454
73. Ceriotti F, Hinzmann R, Panteghini M. Reference intervals: the way forward. *Ann Clin Biochem* 2009;46:8-17. IF=1.928
74. Ceriotti F. Quantity quotient reporting. Counterpoint. *Clin Chem Lab Med* 2009;47:1207-8. IF=1.888
75. Burnett D, Ceriotti F, Cooper G, Parvin C, Plebani M, Westgard J. Collective opinion paper on findings of the 2009 convocation of experts on quality control. *Clin Chem Lab Med* 2010;48:41-52. IF = 1.888
76. Infusino I, Schumann G, Ceriotti F, Panteghini M. Standardization in clinical enzymology: a challenge for the theory of metrological traceability. *Clin Chem Lab* 1.888

- Med. 2010;48:301-7.
77. Toussaint B, Emons H, Schimmel HG, Bossert-Reuther S, Canalias F, Ceriotti F, IF =  
Férard G, Ferrero CA, Franck PF, Gella FJ, Henny J, Jørgensen PJ, Klauke R, 1.888  
Lessinger JM, Mazziotta D, Panteghini M, Ueda S, Schumann G. Traceability of  
values for catalytic activity concentration of enzymes: a Certified Reference Material  
for aspartate transaminase. *Clin Chem Lab Med*. 2010;48:795-803.
  78. Ceriotti F, Henny J, Queraltó J, Ziyu S, Ozarda Y, Chen B, Boyd JC, Panteghini M. IF =  
1.888  
Common reference intervals for aspartate aminotransferase (AST), alanine  
aminotransferase (ALT) and  $\gamma$ -glutamyl transferase (GGT) in serum: results from an  
IFCC multicenter study. *Clin Chem Lab Med*. 2010;48:1593-601.
  79. Guazzoni G, Nava L, Lazzeri M, Scattoni V, Lughezzani G, Maccagnano C, Dorigatti IF=  
F, Ceriotti F, Pontillo M, Bini V, Freschi M, Montorsi F, Rigatti P. Prostate-Specific 7.667  
Antigen (PSA) Isoform p2PSA Significantly Improves the Prediction of Prostate  
Cancer at Initial Extended Prostate Biopsies in Patients with Total PSA Between 2.0  
and 10 ng/ml: Results of a Prospective Study in a Clinical Setting. *Eur Urol*  
2011;60:214-22
  80. Carobene A, Franzini C, Ceriotti F. Comparison of the results from two different IF  
External Quality Assessment Schemes supports the utility of robust quality 2.069  
specifications. *Clin Chem Lab Med* 2011;49:1143-9.
  81. Schumann G, Klauke R, Canalias F, Bossert-Reuther S, Franck PF, Gella FJ, IF  
Jørgensen PJ, Kang D, Lessinger JM, Panteghini M, Ceriotti F. IFCC primary 2.069  
reference procedures for the measurement of catalytic activity concentrations of  
enzymes at 37 °C. Part 9: Reference procedure for the measurement of catalytic  
concentration of alkaline phosphatase International Federation of Clinical Chemistry  
and Laboratory Medicine (IFCC) Scientific Division, Committee on Reference  
Systems of Enzymes (C-RSE). *Clin Chem Lab Med* 2011;49:1439-46.
  82. Bignami E, Frati E, Ceriotti F, Daverio R, Silveti S, Landoni G, Marino G, Zangrillo IF  
A. Urinary neutrophil gelatinase associated lipocalin as an early predictor of 0.784  
prolonged intensive care unit stay after cardiac surgery. *Annals of Cardiac  
Anaesthesia* 2012;15:13-7.
  83. Ceriotti F, Cappelletti P, Caputo M, Di Serio F, Messeri G, Ottomano C, Plebani M, IF  
Soffiati G. A risk-analysis approach to the evaluation of analytical quality. *Clin Chem* 2.069  
*Lab Med* 2012;50:67–71.
  84. Ceriotti F. Establishing Pediatric Reference Intervals: a challenging task. *Clin Chem* IF  
2012;58:808-10 6.886
  85. Panteghini M, Ceriotti F. Obtaining reference intervals traceable to reference IF  
measurement systems: is it possible, who is responsible, what is the strategy? *Clin* 2.069  
*Chem Lab Med* 2012;50:813-7.
  86. Carobene A, Graziani MS, Lo Cascio C, Tretti L, Cremonese E, Yabarek T, IF  
Gambaro G, Ceriotti F. Age dependence of within-subject biological variation of nine 2.069  
common clinical chemistry analytes. *Clin Chem Lab Med* 2012;50:841–4.
  87. Ichihara K, Ceriotti F, Tam TH, Sueyoshi S, Poon PMK, Thong LM, et al. The Asian IF  
project for collaborative derivation of reference intervals: (1) strategy and major 3.009  
results of standardized analytes. *Clin Chem Lab Med* 2013;51:1429-42.
  88. Ichihara K, Ceriotti F, Kazuo M, Huang YY, Shimizu Y, Suzuki H, et al. The Asian IF  
project for collaborative derivation of reference intervals: (2) results of 3.009  
nonstandardized analytes and transference of reference intervals to the  
participating laboratories on the basis of cross-comparison of test results. *Clin  
Chem Lab Med* 2013;51:1443-57.
  89. Cattozzo G, Calonaci A, Albeni C, Guerra E, Franzini M, Ghezzi F, Ceriotti F. IF  
Reference values for alanine aminotransferase,  $\alpha$ -amylase, aspartate 3.009  
aminotransferase,  $\gamma$ -glutamyltransferase and lactate dehydrogenase measured  
according to the IFCC standardization during uncomplicated pregnancy. [Letter] *Clin  
Chem Lab Med* 2013; Epub ahead of print
  90. Carobene A, Guerra E, Ceriotti F. A mechanism-based way to evaluate IF



- commutability of control materials for enzymatic measurements. The example of 2.85  
gamma-glutamyltransferase. Clin Chim Acta 2013; Epub ahead of print
91. Marinova M, Altinier S, Caldini A, Passerini G, Pizzagalli G, Brogi M, Zaninotto M, IF  
Ceriotti F, Plebani M. Multicenter evaluation of Hemoglobin A1c assay on capillary 2.85  
electrophoresis. Clin Chim Acta 2013; Epub ahead of print

**Other publications**

1. Ceriotti F, Ceriotti G. Determinazione diretta e specifica del ferro sierico. *Giorn It Chim Clin* 1979;4:99-101.
2. Scandellari C, De Palo E, Ceriotti F, De Palo C. Studies on the lipolytic effect of a protein fraction from bovine pituitary. *Diabetes, Obesity. Academic Press* pag. 199-205, 1982
3. Ceriotti F, Imbasciati A, Tarengi G, Bonini PA. Effetto di sostanze anticoagulanti e antiglicolitiche sulla determinazione del glucosio e dell'urea con il sistema "Seralyzer". *Giorn It Chim Clin* 1983;8:113-119.
4. Ceriotti F, Barenghi L, Bonini PA, Luzzana M, Ripamonti M, Mosca A. Principi della pH-metria differenziale e sue applicazioni in chimica clinica. *Giorn It Chim Clin* 1984;9:93-106.
5. Ceriotti G, Bonvicini P, Ceriotti F, Franzini C, Prencipe L, Spandrio L. Valutazione di un metodo per la valutazione dell'attività della fosfatasi alcalina (ALP) con il tampone n-metilglucamina (MEG). Proposta del suo uso come metodo raccomandato. *Giorn It Chim Clin* 1984;9:167-81.
6. Guarnieri GF, Galli G, Toigo G, Lin S, Ceriotti F, Bonini PA, Ceriotti G. Non invasive assessment of kidney damage by urinary enzyme and protein determination. *Clinical enzymology symposia IV, Burlina & Galzigna editors* 1984.
7. Crescenti A, Stella L, Bordoli W, Ceriotti F, Cornaggia G, Zangrillo A. Modificazioni dei livelli urinari dell'alfa-glucosidasi e dell'N-acetil-beta-glucosaminidasi: confronto tra anestesia con enflurano ed anestesia con trazodone e fentanil. *Anest Rianim* 1985;26:235-40.
8. Sanguini LC, Ceriotti F, Bonini PA. Valutazione del sistema Reflotron per la determinazione di urea ed emoglobina. *Giorn It Chim Clin* 1986;11:189-96.
9. Grazioli V, Grossi L, Ceriotti F, Dorigatti F, Bonini P.A. Valutazione delle prestazioni del Genesis 21 (IL) su 8 metodiche per la determinazione di attività enzimatiche. *Giorn It Chim Clin* 1988; 13:105-9.
10. Ceriotti F, Ferrero C.A, Rota F, Ceriotti G. Automation of a direct serum copper determination with bathocuproine. *Giorn It Chim Clin* 1988; 13:277-80.
11. Colombo R, Sommariva M, Di Girolamo V, Guazzoni G, Montorsi F, Vanzulli A, Gianolli L, Ceriotti F, Rigatti P. Lesioni renali da shock-waves: valutazione multifattoriale in un confronto tra litotrittori di prima e seconda generazione. *Acta Urol Ital* 1990;6 (Suppl. 1):115-122.
12. Paleari R, Ceriotti F, Bonini P.A. Mosca A. Standardization problems relevant to quantitative laboratory methods for glucose-6-phosphate dehydrogenase deficiency detection. *Giorn It Chim Clin* 1990; 15:191-8.
13. Ceriotti F, Felini S. Analisi quantitativa di alcuni analiti urinari su Cobas Mira-S. *Giorn It Chim Clin* 1991;16:41-46.
14. Ceriotti F. Fosfatasi alcalina con tampone n-metil glucamina: determinazione dei valori di riferimento. *Giorn It Chim Clin* 1991;16:305-12.
15. Modenese A., Ceriotti F., Bonini P.A. Application of the differential pH technique to the measurement of magnesium in serum and erythrocytes. *Giorn It Chim Clin* 1992;17:13-19.
16. Henny J., Schiele F., Kruse Jarres J.D., Kaiser C., Bonini P.A., Ceriotti F., Schlebusch H., Sorger M., Garcia-Beltrán L., Jaraus J., Klein G., Vogt B.W., Zawta B., Domke I. Determination of reference values for a colorimetric fructosamine assay. *Klin Lab* 1992;38:153-160
17. Re G, Ceriotti F, Besozzi M. Tecnologie analitiche a confronto: commutabilità di sieri freschi. *Biochim Clin* 1994;18:93-106.
18. Ferrero CA, Ceriotti F, Carobene A, Modenese A. Role of control materials in proficiency testing: the case of glucose, sodium and potassium. (Abstract) *Clin Chem* 1994;40:1002
19. Ferrero CA, Carobene A, Modenese A, Ceriotti F, Bonini PA. Transfer of accuracy: italian participation to the American Cholesterol Reference Method Laboratory Network. (Abstract) *Eur J Clin Chem Clin Biochem* 1994;32 (8) A16.
20. Ceriotti F. Commutability of control and calibration materials. (Abstract) *Eur J Clin Chem Clin Biochem* 1994;32 (8) A16

21. Fasce F, Brancato R, Guarisco L, Ceriotti F, Fantaguzzi S. Disposable soft contact lenses vs collagen shields as a drug delivery system in human eyes: a fluorophotometric evaluation. (Abstract) Invest Ophthalmol & Visual Science 1994;35:2190.
22. Modenese A, Ceriotti F, Ferrero CA, Carobene A. Determinazione contemporanea del fruttosio e del glucosio nel plasma seminale mediante pH-metria differenziale. Giorn It Chim Clin 1995;20:105-12.
23. Modenese A, Baldo L, De Giorgi E, Ceriotti F, Ferrero CA, Carobene A. Standardizzazione del dosaggio del colesterolo HDL: risultati ottenuti dal laboratorio # 504 del cholesterol reference method laboratory network. Giorn It Chim Clin 1995;20:205-11.
24. Modenese A, Baldo L, De Giorgi E, Carobene A, Ferrero C, Franzin M, Ceriotti F. Comparison among three precipitating agents for HDL-Cholesterol method. (Abstract) Clin Chem 1995; 41:S136.
25. Modenese A, Magni F, Ferrero C, Carobene A, Ceriotti F, Franzin M, De Giorgi E. Evaluation of different types of control materials in proficiency testing of creatinine measurement. (Abstract) Clin Chem 1996;42:S276-7.
26. Panteghini M, Ceriotti F, Franzini C, Prencipe L, Zaninotto M. Raccomandazione per la determinazione della concentrazione di attività catalitica della lattato deidrogenasi nel siero. Biochimica Clinica 1997;21:117-20.
27. Ceriotti F. Amilasi: quale metodo di determinazione? Biochimica Clinica 1997;21:553-6.
28. Graziani Ms, Ceriotti F, Marchioli R. L'ipercolesterolemia in prevenzione secondaria. 1. I pazienti post infartuati: dati dello studio GISSI Prevenzione. Biochimica Clinica 1998;22:524-528.
29. Graziani MS, Ceriotti F, Manzato E. L'ipercolesterolemia in prevenzione secondaria. 2. I pazienti diabetici: linee guida dell'American Diabetes Association. Biochimica Clinica 1998;22:529-532.
30. Panteghini M, Ceriotti F, Franzini C, Pagani F, Secchiero S, Zaninotto M. Raccomandazione per l'impiego routinario della determinazione dell'isoenzima pancreatico dell'amilasi in sostituzione dell'amilasi totale nella diagnosi e nel monitoraggio della patologia pancreatica. Biochimica Clinica 2001;25:277-82.
31. Ceriotti F. La SIBioC e la VEQ. Biochimica Clinica 2001;25:462-5.
32. Ceriotti F. Point of care testing: controllo di qualità ed assicurazione di qualità. Riv Med Lab 2001;2:43-5.
33. Mosca A, Ceriotti F, Franzini C, Panteghini M per il Gruppo di Studio "Enzimi" della Società Italiana di Biochimica Clinica e Biologia Molecolare Clinica (SIBioC). Determinazione dell'attività della colinesterasi nel siero e suo utilizzo clinico: risultati di una indagine conoscitiva. Biochim Clin 2005;29:429-32.
34. Ceriotti F, Ferrero CA, Guerra E, Bonora R, Panteghini M per il Gruppo di Studio "Enzimi" della Società Italiana di Biochimica Clinica e Biologia Molecolare Clinica (SIBioC). Misura dell'attività catalitica della fosfatasi alcalina con N-metil-glucammina (MEG) e ammino-metil-propanolo (AMP) come tamponi: effetti sulla commutabilità dei materiali di controllo. Biochim Clin 2005;29:486-94.
35. ASSR Agenzia per i Servizi Sanitari Regionali. Diagnostica Clinica di Laboratorio: Rischio cardiovascolare – Sindromi coronariche – Scompenso cardiaco. Linee guida nazionali di Riferimento 2005.
36. Andreani P, Caldini A, Carta M, Ceriotti F, Falorni A, Ferrai G, et al. Raccomandazioni per l'esecuzione della curva standard da carico orale di glucosio (OGTT) per la diagnosi di diabete mellito. Biochim Clin 2006;30:537-40.
37. Ceriotti F, Infusino I, Luraschi P, Panteghini M. Valutazione dell'esattezza della determinazione della creatinina nel siero: risultati su un campione di laboratori nazionali. Biochim Clin 2007;31:19-23.
38. Ceriotti F. Gli intervalli di riferimento nel nuovo millennio. Biochim clin 2007;31:254-66.
39. Ceriotti F, Henny J. "Are my laboratory results normal?" Considerations to be Made Concerning Reference Intervals and Decision Limits, eJIFCC Vol 19 no 2: 2008 <http://www.ifcc.org/ejifcc/vol19no2/190201200803.htm>

40. Ottomano C, Ceriotti F, Galeazzi M, Iandolo P, Romano C, Tocchini M, Vernocchi A, Zaninotto M. Linee guida per la gestione dei programmi di Controllo di Qualità Interno. *Biochim Clin* 2008;32:102-121.
41. Ceriotti G, Ceriotti F, Franzini C. Come scrivere un articolo scientifico. *Biochim Clin* 2008;32:196-202.
42. Cattozzo G, Guerra E, Ceriotti F, Franzini C per il Gruppo di Studio Enzimi SIBioC. Confrontabilità dei risultati di due metodi per la determinazione della lattato deidrogenasi del siero dopo ricalibrazione al sistema di riferimento: impatto della commutabilità del calibratore. *Biochim Clin* 2008;32:311-7.
43. Lippi G, Caputo M, Banfi G, Buttarello M, Ceriotti F, Daves M, Dolci A, Montagnana M, Miconi V, Milanesi B, Morandini M, Piva E, Salvagno GL, Giavarina D per il Gruppo di Studio Intersocietario SIBioC-SIMeL-CISMEL sulla Variabilità Extra-Analitica del Dato di Laboratorio. Raccomandazioni per il prelievo di sangue venoso. *Biochimica Clinica* 2008;32:569-77.
44. Ceriotti F, Panteghini M. "I risultati dei miei esami sono normali?": considerazioni su intervalli di riferimento e livelli decisionali. *Biochimica Clinica* 2009;33:229-33.
45. Ceriotti F. Determinazione della creatinina: per i laboratori è tempo di agire. *Biochim Clin [Editoriale]* 2010;34:9-10.
46. Infusino I, Ceriotti F, Panteghini M. Standardizzazione in enzimologia clinica: una sfida per la teoria della riferibilità metrologica. *Biochim Clin* 34;2010:96-102.
47. Bianchi V, Pacifici R, Palmi I, Pichini S, Vernocchi A, Merlini G, Ceriotti F, et al. Transferrina carboidrato-carente (CDT): strategie analitiche ed interpretative. *Biochim Clin* 2010;34:128-38.
48. Ceriotti F. Velocità di filtrazione glomerulare stimata (eGFR): fonte di informazioni o fattore di confusione? *Biochim Clin* 2010;34:247-9.
49. Guerra E, Ceriotti F. Calcolo dell'incertezza nella determinazione dell'attività catalitica della  $\gamma$ -glutamilttransferasi: confronto fra tre approcci. *Biochim Clin* 2010;34:259-64.
50. Carobene A, Franzini C, Ceriotti F. Traguardi analitici per VEQ: due programmi a confronto. *Biochim Clin* 2010;34:607-11.
51. Ceriotti F, Secchiero S, Sciacovelli L, Zaninotto M, Zardo L, Plebani M. Linee guida per la gestione dei programmi di Valutazione Esterna di Qualità. *Biochim Clin* 2011;35:107-26.
52. Ceriotti F, Pontillo M, Fasoli L, Dorigatti F. La fase preanalitica nella misura del [-2]proPSA e dell'Indice di Salute Prostatica. *Biochim Clin* 2011;35:373-6.
53. Ceriotti F. Funzioni e compiti del laboratorio nell'ospedale moderno: alcune considerazioni 40 anni dopo. *Biochim Clin* 2012;36:29-32.
54. Politi L, Ceriotti F. Ottimizzazione di un metodo di misura della lipasi pancreatica con 1,2-o-dilauril-rac-glicerico-3-glutarico (6-metilresorufina) estere come substrato. *Biochim Clin* 2012;36:177-86.
55. Ceriotti F, Infusino I, Panteghini M. Teoria e pratica degli intervalli di riferimento riferibili. *Biochim Clin* 2012;36:171-6.
56. Carobene A, Ceriotti F, Infusino I, Frusciante E, Panteghini M. Valutazione dell'impatto del processo di standardizzazione sulla qualità della misura della creatininemia nei laboratori italiani. *Biochim Clin* 2012;36:414-24.

### **Book chapters / other documents**

Manuale di Medicina Interna Sistemica. Claudio Rugarli Editor. Terza Edizione . Appendice B Gli esami di Laboratorio. P.A. Bonini, F. Ceriotti Pag. 1471 – 78. Masson 1993

Trattato Italiano di Medicina di Laboratorio, Volume II/1 Biochimica Clinica Speciale, II edizione, L. Spandrio editore. Capitolo 6. Enzimi: generalità ed enzimi del plasma. S. Marchi, L. Spandrio, F. Ceriotti Pag. 1 – 80 Piccin Nuova Libreria, Padova, 2006.

Qualità in biotech e pharma. A. Lanati editor. Capitolo 9. Qualità in un laboratorio clinico. Pagine 149-160. Springer – Verlag Italia 2010

**Horowitz GL, Altaie S, Boyd JC, Ceriotti F, Garg U, Horn P, Pesce A, Sina HE, Zakowski J. Defining, establishing, and verifying reference intervals in the clinical laboratory; approved guideline – third edition CLSI document C28-A3, 2008**